



The Water Environment (Controlled Activities) (Scotland) Regulations 2011

Licence Application FORM A

To be completed by all licence applicants

How we use your personal information – Data Protection Act 2018 ('DPA 2018')

Under the DPA 2018, we must have a legal basis for processing your information – in this case, processing personal information is necessary to perform our statutory duties ('Public Task').

Some of the ways in which we collect and use the information may be through:

- granting and administering of authorisations and maintaining registers
- investigating environmental complaints
- undertaking formal enforcement action
- maintaining our own accounts and records

The personal information we collect and use may include the following: name; address, including postcode; email address and telephone number. SEPA is required, by law, to organise and maintain public registers, and make these registers available for public inspection. We do this by collecting and using the personal information that applicants (or their agents) share in their applications for SEPA authorisations and SEPA permits. After the application form has been processed, some of the information from the form is added to the public register, and becomes available for public inspection. , Signatures, personal email addresses, and telephone numbers are not published, unless publication is statutorily required.

There may be occasions when we are required by law to share your personal information with other organisations, e.g. for regulatory reasons, or because doing so is in the general public interest. Any sharing will be carried out lawfully and securely in accordance with the [SEPA Data Protection Policy](#).

For more information on how SEPA handles personal information, please refer to our general Privacy Policy at <https://www.sepa.org.uk/help/privacy-policy/>

SEPA application forms: General Guidance

You should read the “Guide for Applicants” before completing this licence application form. **Form A** and the guidance below are for all licence applicants. Additional regime specific guidance is listed in the “Guide for Applicants”. The regime specific forms available for use are: **Form B1 Foul only Sewage Discharges**, **Form B2** (General Point Source Discharges, excluding **Foul only Sewage Discharges**, Fish Farm discharges and discharges of Sheep Dip to Land), **Form C** (Fish Farm discharges), **Form D** (Abstraction and Impoundment of water), **Form E** (Engineering Works), **Form F** (discharges of Sheep Dip to Land), **Form K** (deep borehole construction), **Form L** (storage of oil for onward distribution), **Form M** (herbicide use in or near water) and **Form N** (Construction run off)

Making changes to a licence**Variations**

Application **Form G** should be used for any application for an administrative or technical variation to a licence.

Transfer

Application **Form H** should be used for any application to transfer a licence in whole or in part to a different Authorised person. No other forms need to be completed.

Surrender

Application **Form I** should be used for any application to surrender a licence in whole or in part. No other forms need to be completed.

Who completes the application?

If you are making an application on your own behalf and you are the Authorised Person, then you should complete the application form. If the application is being made on behalf of a company, partnership or other organisation which will be the “Authorised Person”, then the person who completes the declaration at the end of the form should have the authority to act on behalf of that organisation.

For more guidance on ‘Authorised Person’ please see the “Guide for Applicants”.

Where to send your application

See Registry office details at the end of this form.

What happens when we get your application?

We will check through the application to make sure that it is complete and that SEPA has all the information it requires.

We may contact you for further information and depending on the type of application this may be via telephone, letter or in some cases a formal notice.

In cases where further relevant information has to be gathered before a decision can be made on an application, there may be an additional charge, to cover the cost of SEPA acquiring the data but this will always be subject to prior agreement. **Poor quality information may result in your application being delayed.**

Processing your Application

SEPA aims to determine all applications within the statutory period of 4 months. This may be extended in particularly complex cases or where the application is deficient in information but this will only be done in consultation with you.

Disclosure of the information you give us in your application

There may be other interested parties who have to be consulted about your application. SEPA will require significant activities to be advertised in the press for which the applicant must pay. (See further guide on consultation and advertising).

Please read the data protection notice on the front sheet of this form which explains how we will use information given to us.

SEPA’s full service charter may be viewed from the SEPA web site www.SEPA.org.uk

SEPA does not control flood risk through CAR. See [Flood Risk Standing Advice](#) for information on possible flood risk impacts from engineering, impoundment and discharge activities.

SECTION 1: ABOUT THE AUTHORISED PERSON AND OTHER CONTACTS

| | | | |
|--|---|---|-----------------------------|
| 1.1 AUTHORISED PERSON (Individual or Corporate body) | | | |
| 1.1.1 Please provide the following details about the authorised person (i.e. the legal entity responsible for securing compliance with the conditions of a licence. See applicant guidance for more information): | | | |
| Name: | Loch Kemp Storage Limited (NB for partnerships please list all partners on a separate sheet and the names of any other persons authorised to sign on behalf of the partnership; for companies, please give registered name and any trading names) | If a company, please give registered company number: | 10813231 |
| Status: (Select one of the options from either a) or b) and provide the additional details where relevant) | a) Individual: | <input type="checkbox"/> Land-owner/occupier <input type="checkbox"/> Nominated individual on behalf of a voluntary association <input type="checkbox"/> Sole Trader <input type="checkbox"/> Other, please specify: If applicable insert name of voluntary association: | |
| | b) Corporate body: | <input checked="" type="checkbox"/> Limited Company (Ltd or plc) <input type="checkbox"/> Scottish Partnership <input type="checkbox"/> Other Partnership <input type="checkbox"/> Company limited by guarantee <input type="checkbox"/> Other Corporate Body (e.g. 'NHS Trust', 'Local Authority') <input type="checkbox"/> Government Agency (e.g. 'Transport Scotland, 'Forestry and Land Scotland') <input type="checkbox"/> Nominated corporate body on behalf of a voluntary association <input type="checkbox"/> Registered charity including registered number <input type="checkbox"/> Other, please specify (e.g. 'the Crown') <i>Please supply supporting information confirming legal status</i> | |
| Address: If a company, please give address of registered office. | Loch Kemp Storage, 4th Floor 80 Victoria Street, London, England, | | |
| Postcode: | SW1E 5JL | Tel No. | +44 (0) 20 7186 0588 |
| E-mail: | LochKemp@stateraenergy.co.uk | | |
| 1.1.2 Is there anything you wish to disclose which might inhibit you from undertaking your duty to ensure compliance with the conditions of any authorisation? | <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES (please give full information on separate sheet) | | |
| 1.1.3 Is this also the applicant contact, billing address, correspondence address and address for service of notices? If yes to all go to section 2. If no to any, complete relevant parts of question 1.2 and 1.3. | Document name/Reference | | |
| | Address for service of notices: | <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES | |
| Applicant Contact: | <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES | | |
| Billing address:: | <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES | | |
| Correspondence address: | <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES | | |

1.2 FURTHER CONTACT ADDRESSES:

Where the address for service of notices, applicant contact, billing address or correspondence address are different from those given in question 1.1 please complete the relevant sections below.

1.2.1 ADDRESS FOR SERVICE OF NOTICES:

You may specify an alternative UK address to those given in 1.1 or 1.2 as the address at which you or someone on your behalf will accept notices from SEPA under:

- regulation 13(2) (notice requiring advertisement of application)
- regulation 15(3) (notification of grant of licence, or refusal)
- regulation 29(1) (notice of suspension or revocation of authorisation) and/or
- regulation 32(2) (enforcement notice).

Please tick the boxes of all types of notice which you wish to be served at this address.

| | | | |
|---------------|-----|---------|-----|
| Contact Name: | N/A | | |
| Address: | N/A | | |
| Postcode: | N/A | Tel No. | N/A |
| E-mail: | N/A | | |

1.2.2 APPLICANT CONTACT:

Please nominate someone who we can contact directly with any questions about your application.

| | | | |
|---------------|---|---------|-------------|
| Contact Name: | [REDACTED] | | |
| Address: | Statera Energy Limited 4 th Floor 80 Victoria Street London SW1E 5JL | | |
| Postcode: | SW1E 5JL | Tel No. | 02071860588 |
| E-mail: | JScott@stateraenergy.co.uk | | |

1.2.3 PAYMENT / BILLING ADDRESS:

This is required if large project and application fee is time & materials basis.
 This is also required if a licence is issued that is required to pay an annual subsistence charge.
 Please provide details of the address you wish invoices to be sent to and details of someone we may contact about fees and charges. Please see the SEPA charging scheme for more details.

| | | | |
|---------------|---|---------|-------------|
| Contact Name: | [REDACTED] | | |
| Address: | Statera Energy Limited 4 th Floor 80 Victoria Street London SW1E 5JL | | |
| Postcode: | SW1E 5JL | Tel No. | 02071860588 |
| E-Mail: | SReid@stateraenergy.co.uk | | |

1.2.4 CORRESPONDENCE ADDRESS:

Enter details here if you wish to provide an alternative correspondence address to that given in 1.1.

| | | | |
|---------------|-----|---------|-----|
| Contact Name: | N/A | | |
| Address: | N/A | | |
| Postcode: | N/A | Tel No. | N/A |
| E-Mail: | N/A | | |

1.3 PRE-APPLICATION CONTACT

| | |
|---|-----------------------------------|
| Name of SEPA staff consulted & date <i>(if you have had pre-application discussions)</i> | [REDACTED] – Email dated 13/09/23 |
|---|-----------------------------------|

SECTION 2: ABOUT THE AUTHORISED PLACE / SITE**2.1 SITE DETAILS**

Please enter the address of the site where the activities to be licensed are located.

| | |
|--|--|
| Site Name (to be used as a reference to your site) | Loch Kemp Storage |
| Company House SIC Code (if applicable) | 35110 – Production of Electricity |
| (If a farm) IACS Farm Code | N/A |
| Address | Loch Kemp Storage, Easter Drummond, Whitebridge, Inverness |
| Post code | IV2 6UP |
| Tel No | Loch Kemp Storage number: +44 (0) 20 7186 0588 |
| E-Mail | Loch Kemp Storage email: LochKemp@stateraenergy.co.uk |

2.2 ACTIVITIES CARRIED OUT AT THE SITE

Please state the number of each activity you are applying for - this will help you identify the correct form to complete.

Number of each activity in box please

| | | |
|---|---------|---|
| Discharge of foul only sewage | FORM B1 | |
| Discharge to waters or land excluding foul only sewage, fish farm effluent (inc. new outfall design) and disposal of sheep dip or other agrochemicals to land | FORM B2 | |
| Discharge of fish farm effluent (inc. new outfall design) | FORM C | |
| Abstraction of water (inc. new intake design) | FORM D | 3 |
| Impoundment of Water | FORM D | 8 |
| Engineering (excluding new outfalls/intakes) | FORM E | |
| Agrochemical/sheep dip disposal to land | FORM F | |
| Deep borehole construction | FORM K | |
| Storage of oil for onward distribution | FORM L | |
| Herbicide use in or near water | FORM M | |
| Construction run off | FORM N | |

2.3 SITE LOCATION NATIONAL GRID REFERENCE

Please enter the Ordnance Survey national grid reference (10 characters e.g. NS 1234 5678). If the location extends beyond a single point please give the grid reference of the front gate or entrance.

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| N | H | 4 | 8 | 3 | 2 | 9 | 1 | 4 | 8 | 0 | 7 |
|---|---|---|---|---|---|---|---|---|---|---|---|

2.4 SITE PLANPLEASE INCLUDE A PLAN SHOWING THE LOCATION OF THE SITE AND ALL ACTIVITIES APPLIED FOR.

The plan should preferably be a licensed extract from OS map, or properly drawn scheme, clearly labelled and legible.

| | |
|--------------------------|---|
| Document name/reference: | LKCV_FIC_ZZ_ZZ_TV_X_000140_0A-Overview with Satellite Map.pdf |
|--------------------------|---|

2.5 CURRENT SEPA AUTHORISATIONS ASSOCIATED WITH THE SITE

Include CAR authorisations. If applicable please detail any existing consents, permits or licences issued by SEPA or its predecessor bodies in relation to this site (e.g. COPA consent, PPC permit, Waste Management Licence, Groundwater Authorisation etc). Continue on separate sheet if necessary.

| | |
|--------------------------|--|
| Reference Number: | |
| Reference Number: | |
| Document name/reference: | |

2.6 PLANNING DOCUMENTS RELEVANT TO SITE/SCHEME OF ACTIVITIES

2.6.1 PLANNING PERMISSION REF NO.
for Site activities or associated scheme of activities

ECU00003398

2.6.2 BUILDING WARRANT REF NO.
for Site activities or associated scheme of activities

2.7 PROPOSED START DATE OF ACTIVITIES

2026

| 2.8 EMERGENCY WORKS (Do not complete for discharges) | | |
|---|---|---|
| Is this application for Emergency works under Reg 18? (see SEPA's guidance document WAT-RM-49) | <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES | |
| <i>If yes, please provide relevant details as to why works are considered to be emergency works</i> | Document name/Reference | |
| 2.9 PROTECTED AREA / SPECIES (Do not complete for discharges) | | |
| Is the site either within a Protected Area i.e. <ul style="list-style-type: none"> • Site of Special Scientific Interest (SSSI) • Special Area of Conservation (SAC) • Special Protection Area (SPA) • RAMSAR • Marine Protected Area (MPA) or within the screening distances as detailed in Annex 6 of SEPA'S guidance document, WAT-SG-90? <i>Tick the relevant layers on NatureScot's website for location & details of Protected Areas</i> | <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES <i>(if yes you are required to provide sufficient information as outlined below for SEPA to assess the likely impact on the site)</i> The site is within: <ul style="list-style-type: none"> • Ness Woods SAC; • Easter Ness Forest SSSI; The following sites are within 3km of the Site: <ul style="list-style-type: none"> • Loch Knockie and nearby Lochs SPA (1.8 km NE of Site); • Knockie Lochs SSSI (1.8 km South of Site); • River Moriston SAC (2 km NW of Site); • Loch Bran SSSI (2.5 km N of Site). The following sites are >3km of the Site but could have hydrological connectivity to the Site: <ul style="list-style-type: none"> • Urquhart Bay Wood SAC (13 km NE of Site); • Urquhart Bay Wood SSSI (13 km NE of Site); A Figure showing all designated sites within 10 km of the site is included in Volume 2, Appendix 10.1 of the EIA Report. | |
| Have you contacted NatureScot regarding your application? | <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES | |
| <i>If yes, please provide any relevant correspondence or consents related to the activity</i> | Document name/Reference | See 'NS Consultation' Folder in Supporting Documents. Consultation with NS in relation to the Ness Woods SAC and River Moriston SAC is ongoing. Consultation responses are also summaries in the following chapter of the EIA Report: <ul style="list-style-type: none"> - Chapter 10: Terrestrial Ecology - Chapter 11: Ornithology - Chapter 12: Aquatic Ecology - Chapter 13: Fish Consultation undertaken in relation to the European designated sites are summarised in the Shadow Habitat Regulations Appraisal (HRA) Report and Addendum (submitted as part of the Additional Information (AI) Package in September 2024), which can be found in the 'HRA Documents' folder of the Supporting Documents (refs: - Loch Kemp Storage - Shadow Habitats Regulations Appraisal Report and 120019-R-sHRA-1.0.0 - Kemp Pumped Storage - HRA Addendum) |
| Relevant ecological surveys <i>You must provide any relevant surveys conducted to establish the presence of any designated species/habitat within the location of the activity.</i> | Document name/Reference | Baseline survey reports are provided in the 'Ecological Survey Report' Folder in the Supporting Documents. Ecological surveys are also described in the following chapter of the EIA Report: <ul style="list-style-type: none"> - Chapter 10: Terrestrial Ecology - Chapter 11: Ornithology - Chapter 12: Aquatic Ecology - Chapter 13: Fish Habitat Surveys are illustrated on: <ul style="list-style-type: none"> - Volume 2, Figure 10.3 - Volume 2, Figure 10.4 |

| | | |
|---|---------------------------------------|---|
| | | <p>Breeding Bird Survey Results are illustrated on Volume 2, Figure 11.4.</p> <p>Figures showing protected species and birds are included in the Confidential Annex, which can be found in the 'Confidential Documents' folder in the Supporting Documents.</p> <p>Figures showing fish / aquatic habitat Surveys are included in Volume 4: Appendix 12.1 and the corresponding addendum submitted as part of the AI Package in 2024.</p> <p>Site work specific to the European designated sites is described in the Shadow HRA Report which is found in the 'HRA Documents' folder of the Supporting Documents (ref - Loch Kemp Storage - Shadow Habitats Regulations Appraisal Report).</p> |
| <p>Please provide details of any measures to be implemented to ensure no impact upon Protected area(s)</p> | <p>Document name/Reference</p> | <p>A summary of mitigation measures is provided in Volume 4, Appendix 3.2: Schedule of Mitigation.</p> <p>Various Management plans, including an outline Construction Environmental Management Plan (CEMP), as outline Habitat Management Plan (HMP) as a Woodland Management Plan is included in the 'Management Plans' folder of the Supporting Documents.</p> <p>Mitigation measures are also described in the following chapter of the EIA Report:</p> <ul style="list-style-type: none"> - Chapter 10: Terrestrial Ecology - Chapter 11: Ornithology - Chapter 12: Aquatic Ecology - Chapter 13: Fish <p>Mitigation and enhancement measures that are specific to the European designated sites are described in the Shadow HRA Report which is found in the 'HRA Documents' folder of the Supporting Documents (ref - Loch Kemp Storage - Shadow Habitats Regulations Appraisal Report) and Addendum (submitted as part of the AI Package in September 2024). A Proposed Compensatory Measures Package for the Ness Woods SAC is included in the Derogation Report included in this folder.</p> |

2.10 NON-TECHNICAL SUMMARY

Please provide a non-technical summary of the information provided in your application (see 'Licence Applicant Guidance' for further information on what should be included). If necessary, please continue on a separate sheet)

Loch Kemp Storage Limited (the Authorised Person) is proposing to construct the Loch Kemp Storage scheme (the Proposed Development) a new build pumped storage hydropower (PSH) scheme on the shores of Loch Ness. The 600MW scheme will provide the ability to store up to 9GWh of renewable electricity for dispatch as required by the national grid. The scheme will utilise the existing waterbodies of Loch Ness and Loch Kemp as the respective lower and upper reservoirs. The existing level of Loch Kemp will be raised by up to 28m to facilitate up to 21 million m3 of storage through the construction of eight impoundments (Dams) around the perimeter of Loch Kemp. To store energy water will be abstracted through twin intakes at Loch Ness and pumped up to Loch Kemp, the maximum abstraction flow would be up to 360m3/s. When required the energy can then be release by abstraction from Loch Kemp and discharging into Loch Ness, the maximum abstraction flow would be up to 455m3/s. PSH is a very efficient use of stored water, as it can be re-cycled between the lower and upper reservoirs with efficiencies of up to 89% each way, equating to round trip efficiency (RTE) in the order of 78% in storing grid scale electrical power. This is conducted with no loss of water from the system, except for evaporation from the reservoirs which is a naturally occurring process.

Dam 4 within the Proposed Development is required to prevent flooding of the neighbouring estate when the level of Loch Kemp reaches maximum. Water would also need to be drained from the upstream side of Dam 4 to prevent inundation across the land ownership boundary. If levels in Loch Kemp permit this would be by syphon, alternatively a pumped flow would be used when levels require.

A full schedule of proposed mitigations is available in the supporting information (Volume 4, Appendix 3.2: Schedule of Mitigation). A Construction Environmental Management Plan (CEMP) would be prepared for the Proposed Development. The CEMP would apply to all construction activities required as part of the proposals. In particular, the CEMP would specify conditions relating to protection of The Proposed Development would only operate between agreed minimum and maximum levels of Loch Ness. These shall be within the operating ranges of existing and consented PSH schemes on Loch Ness to avoid additional impact to the extremes of level in Loch Ness. A stop generating level is proposed to protect against adverse impacts in terms of flooding when the Loch Ness level exceeds the estimated 1-in-10 year flood. A stop pumping level is proposed to prevent operation during extreme low loch levels in Loch Ness to safeguard operation of the Caledonian Canal and for other water users and to maintain a compensatory flow over Ness Weir.

The Proposed Development would release compensation flow from the foot of Dam 1 on the Allt an t Sluichd, which is the natural outlet of Loch Kemp. The flow would be regulated to mimic the natural conditions in the burn at a volume to be agreed with SEPA. This outflow would also be maintained during construction.

The approach velocity of water across the intake screen during abstraction / pumping mode would be <0.3 m/s. This would ensure that most fish species would be able to overcome the effect of entrainment / impingement at the screens. Outflow would be diffused using vane structures on the outlets to spread the flow over a wider area to reduce the potential for attraction / entrainment / impingement of upstream migrating fish. Appropriately designed vertical bar screens of maximum 12.5 mm mesh aperture to cover the intake/outlet would be implemented to prevent fish from entering into the underground waterway system at Loch Ness and Loch Kemp. This would prevent the risks of fish entrapment, injury and mortality or translocation. The screens would require daily inspection and maintenance or a self-cleaning mechanism to prevent blockage / damage from foliage and debris.

A marine barrier net is also proposed to be installed around the intakes on Loch Ness to prevent Salmon Smolt entering the zone of attraction that would be caused by Proposed Developments pumping cycle. The barrier net with 12.5 mm mesh spacing, would be installed at least 27 m from the inlet screens of the Proposed Development during the smolt season (March – June). At this stage it is anticipated the net would be approximately 300 m in length and would extend 10 m below the surface of Loch Ness (or to the depth of the loch substrate where the maximum loch depth is < 10 m).

Where relevant this form references data provided as part of the Section 36 application to inform the EIA report, HRA report and Derogation report.

The proposed development was identified following a detailed screening exercise to identify paired water bodies in the Highlands that were potentially viable sites for PSH projects. The study identified a number of locations where an upper reservoir (loch) was within 3 km of a lower reservoir, with more than 200 m of Head, and less than 20 km from a 132-275 kV grid connection point. However, a more detailed review of these locations suggested that, even before environmental or landowner factors had been considered, there were a very limited number of potential candidate sites that were financially viable. The Proposed Development was selected by the Authorised Person for development as the most promising prospect for progression and has since been through a process of design development and optimisation to the layout presented at present, a key factor in this design evolution is the minimisation of environmental effects. A more detailed account of the design evolution and alternatives studied is provided in the appended Volume 1- Chapter 2- Design Evolution and alternatives.

SECTION 3: COMMERCIAL CONFIDENTIALITY, NATIONAL SECURITY & SENSITIVE INFORMATION

3.1 COMMERCIAL CONFIDENTIALITY

Is there any information that you wish to justify being kept from the public register on the grounds of commercial confidentiality?

NO YES If yes please give full information and identify relevant documents/parts of documents. NB There is an additional application fee for a commercial confidentiality request. Please refer to Clause 12 of the 'Charging Scheme' for the correct fee.

Reference number for the documents:

All content found within in the following documents:

- *Loch Kemp Storage - AI - Confidential Annex*
- *Loch Kemp Storage - EIA Report - Confidential Annex (COMBINED) v2*
- *Loch Kemp Storage - Shadow Habitats Regulations Appraisal Report - CONFIDENTIAL*

3.2 NATIONAL SECURITY

If there is any information in the application that you believe should be kept from the public register on the grounds of national security please:

- Provide full information on separate sheet.
- Provide a copy of the application form to the Scottish Ministers for a Direction (as appropriate) on the issue of national security.

DO NOT WRITE ANYTHING ABOUT NATIONAL SECURITY ON THIS FORM, NOR GIVE REFERENCE NUMBERS TO THE RELEVANT INFORMATION/DOCUMENTS SUBMITTED. SEE APPLICANT GUIDANCE FOR FURTHER INFORMATION.

3.3 OTHER SENSITIVE INFORMATION

Is there any other information in the application that you believe should be kept from the public register due to its sensitivity?

NO YES If yes please give full information and justification on separate sheet

Reference number for the documents:

SECTION 4: DECLARATION

A representative for The Authorised Person should be identified on this form below.

It is an offence under Regulation 44 of the Water Environment (Controlled Activities) (Scotland) Regulations 2011 to:

- Make a statement which you know to be false or misleading in a material particular,
- Recklessly make a statement which is false or misleading in a material particular, for the purposes of obtaining an authorisation (for yourself or anyone else).

If you make a false statement:

- We may prepare a report to the Procurator Fiscal who may prosecute you, and
- If you are convicted, you are liable to a fine or imprisonment, or both.

Declaration

I certify that the information in this application is correct.
 I apply for an authorisation in respect of the particulars described in this application (including any supporting documentation that *I/we have supplied)
 I specify the address given at 1.2.1 above as the address at which I/we will accept service of notices of the types selected there.

Please note that a representative for the Authorised Person should complete the declaration themselves, even if an agent is acting on their behalf as an applicant contact. For applications from a company or other corporate body the individual completing the declaration should be duly authorised to act on behalf of the company or corporate body. Applications from a Scottish partnership must be completed by a partner of that partnership or a person authorised by the partnership to act on its behalf.

| | | | |
|---------------------|------------|-------|--------|
| Name: | [REDACTED] | | |
| Position/job title: | Director | Date: | 1/5/25 |

Please be aware that in addition to ensuring you have the appropriate authorisation from SEPA under CAR, a number of separate requirements may apply under other legislation. In some cases, you may need to obtain consent for your activities from other bodies to meet these requirements. (e.g planning permission, species licences, other SEPA authorisations)

SECTION 5: FEES AND CHARGES

The application is not valid unless the application fee is correct. See “Charging Scheme” guidance for further details (www.sepa.org.uk).

Any licence issued may also have an annual subsistence charge and you will be invoiced for this accordingly.

Please use the fee calculator (excel spreadsheet) available on our website to calculate the correct fee for all licence activities applied for (available at www.seadverpa.org.uk/) and PRINT OFF AND ATTACH YOUR FEE CALCULATION TO YOUR APPLICATION.

If you are unable to use the fee calculator please use the table below to summarise the fees applicable for the regimes listed

Please calculate your application fee for each of the regimes below, and any Registration level activities you may be applying for. Then give the total fee enclosed for the whole licence application.

| Activity summary | Fee for activity |
|--|--|
| Large Project (time and materials charge) | No upfront fee is applicable for this type of application |
| All Point Source Discharges | £ |
| All Abstractions | £ |
| All Impoundments | £ |
| All Engineering | £ |
| Appended Registration* level activities | £ |
| Total Activity application fee | £ (sub total) |
| Request for Commercial Confidentiality (if applicable) | £ |
| Total application fee of | £ N/A Large Project as discussed with Clare Wallace |

*If you are enclosing Registration forms for certain activities as part of your licence, please state the total fee for all Registrations appended.

5.3 Payment Methods

| | | | |
|---|--|------------------------------|-----------------------------|
| BACS <input type="checkbox"/> Proof of payment must be submitted | Sort Code | 83-34-00 | |
| | A/C number | 00137187 | |
| | Proof of payment submitted | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| | Payment Reference | | |
| Online Card Payment <input type="checkbox"/> Payment is accepted online at https://webpayments.sepa.org.uk/ Proof of payment must be submitted | Proof of payment submitted | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| | Payment reference | | |
| | | | |
| Cheque <input type="checkbox"/> | Made payable to 'SEPA' and submitted with your application | | |

SECTION 6 APPLICATION CHECKLIST

Once you **have completed all parts of your application, including the relevant regime specific form(s)**, please use this checklist to indicate the items you have completed and are sending us as part of this application:

- 1 COPY OF WHOLE APPLICATION (EITHER ELECTRONIC OR PAPER COPY)
- SITE MAP SHOWING LOCATION AND DETAILS OF ACTIVITIES
- OTHER MAPS AND PLANS AS NECESSARY
- ALL OTHER REGIME SPECIFIC FORMS AS NECESSARY
- PAYMENT MADE USING A SUITABLE PAYMENT METHOD
- REMITTANCE ADVICE/PROOF OF PAYMENT/SEPA RECEIPT NUMBER (if applicable) INCLUDED WITH YOUR APPLICATION AND CHARGE CALCULATOR PRINT OUT/ BREAKDOWN OF ACTIVITY CHARGES
- COMPLETED DECLARATION
- ASSOCIATED DOCUMENTS FOR ANSWERS TO QUESTIONS
- CONTINUATION SHEETS FOR ANSWERS TO QUESTIONS

SEPA OFFICE

Please submit your completed application to SEPA Registry by:

Email, to: registry@sepa.org.uk

or

Post, to:

SEPA Registry
 Angus Smith Building
 6 Parklands Avenue
 Holytown
 North Lanarkshire
 ML1 4WQ

For any queries please contact waterpermitting@sepa.org.uk

OFFICE USE

| SEPA USE | Date Rcvd. | Fee Received <input type="checkbox"/> NO <input type="checkbox"/> YES | Amount | Name Assigned to Activity | Application Reference | |
|----------|------------|--|--------|---------------------------|-----------------------|--|
| | | | | | | |