

P-IND-IA2V

The Environmental Authorisations (Scotland) Regulations 2018 (EASR)

Industrial Activities Permit Variation Form: Schedule 20 Emissions Activities



Contents

How to use this industrial activities variation form	4
Before you apply.....	5
Multiple activities under a single permit	5
How to apply	6
Section 1 - Location of the installation	7
1.1 Permit reference.....	7
1.2 Location details	7
1.3 Nuclear site licence	7
1.4 Control of Major Accident Hazards (COMAH).....	8
1.5 Environmental impact assessment.....	8
1.6 Sites of Special Scientific Interest (SSSIs), Special Area of Conservation (SAC), Special Protection Area (SPA) and RAMSAR sites.....	9
1.7 Pre-application engagement	11
Section 2 - About your proposed variation.....	12
2.1 Variation type	12
2.2 Non-technical summary.....	13
2.3 Proposed condition changes	13
2.4 Location plan.....	14
2.5 Adding a new activity.....	15
Section 3 - Technical description of your variation	16
3.1 Details of your proposed variation	18
3.2 Change to your process	19
3.3 Air emissions	24
3.4 Water emissions.....	26
3.5 Energy use	29

3.6 Materials use	29
3.7 Waste	31
3.8 Odour emissions	32
3.9 Noise emissions	32
3.10 Environmental management system (EMS)	34
3.11 Emissions and environmental monitoring	35
3.12 Installation commissioning	35
Section 4 - Site and baseline reports	36
4.1 Site report	36
4.2 Baseline report	36
4.3 Baseline report waiver agreement	37
Section 5 - Compliance with Best Available Techniques	38
Section 6 - Any other information	38
Appendices for additional information	39
Appendix 1: Waste management activities	40
Section A1-1 - Technical competence	40
Section A1-2 - Financial provision	44
Appendix 2: Incineration and co-incineration of waste	49
Section A2-1 - Design and operation	49
Section A2-2 - Request for SEPA to vary an operational condition	52
Section A2-3 - Heat recovery	53
Section A2-4 - Residues	53
Appendix 3: Organic solvent emissions activities	54
Section A3-1 - About your proposed solvent activities	54
Section A3-2 - Proposed changes	56
Section A3-3 - Hazard statements	57

Section A3-4 - VOC compliance	62
Appendix 4: Medium combustion plant.....	64
Section A4-1 - MCP details	65
Section A4-2 - Air emissions risk assessment	71
Section A4-3 - Aggregation details for new MCP	73
Appendix 5: Energy efficiency	74
Section A5-1 - Energy efficiency	75
Section A5-2 - Cost benefit analysis	75

If you would like this document in an accessible format, such as large print, audio recording or braille, please contact SEPA by emailing equalities@sepa.org.uk.

How to use this industrial activities variation form

Use this form to apply to vary an existing permit that authorises EASR industrial activities under the schedules listed below. Variation includes the addition of a new activity.

- Schedule 20: Emissions Activities (including schedule 21: large combustion plant, schedule 24: titanium dioxide activities and schedule 25: energy efficiency)
- Schedule 22: Incineration and co-incineration of waste
- Schedule 23: Organic solvent emissions activities (when combined with schedule 20 emissions activities)
- Schedule 26: Other emissions activities (when combined with schedule 20 emissions activities)
- Schedule 27: Operating a medium combustion plant (when combined with schedule 20 emissions activities)

Do not use this form for:

- Reducing the boundary of an authorised place – you will need to apply for a surrender in part.
- Reducing the number of regulated activities authorised by the permit – you will need to apply for a surrender in part.
- Changing the authorised person of the existing permit – you will need to apply for a transfer (in whole or in part).

Additional information required

If your application includes any of the activities listed below, please also complete the relevant appendices of this form:

- Appendix 1: Waste management activities (activities defined under schedule 20, chapter 5 of EASR)
- Appendix 2: Incineration and co-incineration of waste (activities defined under schedule 20, chapter 5, paragraph 24 and/or schedule 22 of EASR)

- Appendix 3: Organic solvent emissions activities (activities defined under schedule 23 of EASR)
- Appendix 4: Medium combustion plant (activities defined under schedule 27 of EASR)
- Appendix 5: Energy efficiency (activities defined under schedule 25 of EASR)

Before you apply

- Check your permit to identify the type of authorised activities (e.g. water, waste, industrial activities).
- Use the correct variation form for the type of activity you want to vary. For example, use the waste variation form to vary a waste permit activity, the water variation form to vary a water permit activity, or the appropriate variation form for other activities.
- Read the guidance for the activity you wish to vary and/or to add to your existing permit on the relevant activity specific page on our [website](#).
- Where you see the term 'document reference', enter the document reference(s) for the information you have provided. These must be submitted along with the completed form.
- For applications made with insufficient or inadequate information; we will return these to the applicant with an explanation of what additional information is required and may retain part of the application fee in accordance with our published charging scheme.

Multiple activities under a single permit

We may authorise multiple activities under a single permit, but only if the activities are connected. Activities may be considered connected if they are:

- located at the same geographical location,
- part of the same project, or
- operationally linked.

If the activities are connected, you may submit a single application for multiple activities under one permit.

If the activities are not connected, you must submit a separate application for each activity.

How to apply

Digital application service:

The quickest and easiest way to [apply is via our digital application service](#) on our website.

You will need to upload:

1. Completed variation form(s)
2. Completed activity form(s) if required
3. Any required supporting information

Email/Post application:

If you cannot apply using our digital application service, you can complete and submit an application via email or by post.

Your application must include the following:

1. A completed APP-GEN1 form
2. Completed variation form(s)
3. Completed activity form(s) if required
4. Any required supporting information

Email and postal addresses for submitting your application are included in the APP-GEN1 form.

You can download [APP-GEN1, activity forms and variation forms](#) from our website.

Section 1 - Location of the installation

1.1 Permit reference

Please provide the reference of the permit you wish to vary.

Permit reference (e.g. EAS/P/1234, PPC/A/1234567)

PPC/A/1032878

1.2 Location details

Please provide the following information about the location of the installation.

Table 1: Authorised place details

Question	Answer
Authorised place name	Dunbar Energy Recovery Facility
Authorised place address	Oxwellmains, Dunbar, East Lothian
Authorised place postcode	EH42 1SW
National Grid Reference (NGR) (At least 2 letters followed by 8 digits, e.g., AB 1234 6789. You can use our SEPA NGR Tool to find your NGR.)	NT 71135 75945

1.3 Nuclear site licence

Is the installation on a location for which a nuclear site licence is required under Section 1 of the Nuclear Installations Act 1965?

Yes ☐

No ☒

1.4 Control of Major Accident Hazards (COMAH)

Is the installation on, or near, a location which requires notification under Control of Major Accident Hazards (COMAH) Regulations 2015?

Yes ☐

No ☒

If 'Yes', please provide any relevant information obtained or conclusion arrived at in relation to a safety report within the meaning of part 3 of the COMAH regulations.

Document reference

1.5 Environmental impact assessment

Have you been required to carry out an environmental impact assessment for the proposed authorised place under the Town and Country Planning (Environmental Impact Assessment) (Scotland) Regulations 2017?

Yes ☐

No ☒

If 'Yes', please provide any relevant information obtained through production of this report.

Document reference

1.6 Sites of Special Scientific Interest (SSSIs), Special Area of Conservation (SAC), Special Protection Area (SPA) and RAMSAR sites

Use the [NatureScot website map](#) to check if your activity is located within or could impact an SSSI, SAC, SPA or a RAMSAR site, based on the screening distance in the screening distance table found on our [Air emissions risk assessment webpage](#).

If your activity falls within the screening distance or could affect any of these sites, please provide details in the table below.

Table 2: Designated sites details

Site name	Designation (e.g. SSSI, SAC, SPA)	Distance from the proposed authorised place (km)
Firth of Forth	Ramsar, SAC, SPA and SSSI	4.6
St Abbs Head	SPA	12.6
Outer Firth of Forth	SPA	1.4
Forth Islands	SPA	12.6
River Tweed	SAC	10.6
St Abbs Head	SAC	13.6
Barns Ness Coast	SSSI	1.1
Old Cambus Quarry	SSSI	10.9
Rammer Cleugh	SSSI	6.6
Pease Bridge Glen	SSSI	9.8
Papana Water	SSSI	14.1

Site name	Designation (e.g. SSSI, SAC, SPA)	Distance from the proposed authorised place (km)
Traprain Law	SSSI	12.7
Berwickshire Coast	SSSI	13.6
Siccar point	SSSI	11.1
Woodhall Dean	SSSI	3.7
River Tweed	SSSI	13.2
Lammermuir Deans	SSSI	5.3
Abbey St Bathans Woodlands	SSSI	12.5
St Abbs Head	SSSI	13.6
Pease Bay Coast	SSSI	6.9
Ancient Woodland code 36599	Ancient Woodland	1.6
Ancient Woodland code 36801	Ancient Woodland	1.2
Ancient Woodland code 36595	Ancient Woodland	1.9
Ancient Woodland code 36603	Ancient Woodland	1.7
Dryburn Valley	Local Nature Conservation Site	1.1
Spott Burn Valley, part of larger site	Local Nature Conservation Site	1.8

1.7 Pre-application engagement

Pre-application public consultation is required for some industrial activities. You should check the relevant [industrial activity webpages](#) to see if your activity requires pre-application engagement.

SEPA may also require consultation with members of the public likely to be affected by a proposed activity. This depends on the nature or location of the activity, and when experience has shown that engaging with the local community is beneficial to the application process. If you think your activity may require pre-application engagement, please contact our permitting team to discuss.

Before submitting your application for these activities, you must engage with the local community and relevant stakeholders to find out the views of those likely to be affected by the proposed activity and to gather relevant information about the potential impacts of the proposed activity.

Provide evidence of the engagement carried out and share the feedback received.

Document reference(s)

Section 2 - About your proposed variation

2.1 Variation type

There are three types of variations: administrative, standard and substantial.

Please refer to our [Charging guidance](#) for examples and guidance on identifying the correct variation type.

To understand what qualifies as a substantial variation, please read our guidance [Identifying a substantial change variation](#).

If you need assistance in determining the correct variation type, please contact our permitting team.

Please select the relevant box below to confirm the type of variation you are applying for.

Administrative variation

☐

(complete Sections 2 and 6)

Standard variation

☐

(complete Sections 2, 3, 4 (if required), 5, 6 and any relevant appendices)

Substantial variation

☒

(complete Sections 2, 3, 4 (if required), 5, 6 and any relevant appendices)

2.2 Non-technical summary

Please provide a non-technical summary of your variation application, including:

- A brief overview of the proposed variation.
- The type of variation (administrative, standard or substantial) and justify the reasons for this.
- A description of the processes that will be carried on following the proposed variation.
- The measures you will implement to control the main environmental emissions from the authorised place after the variation is in effect.

This summary will be published on our website as part of the public consultation process.

Ensure it is written in simple and plain language so that all members of the public can clearly understand the details of your application.

Document reference

Refer to the Non-technical Summary provided in the Application Pack.

2.3 Proposed condition changes

Please provide details about the changes you are requesting to the condition(s) of your permit (if applicable).

Document reference

Refer to section 2 of the Supporting Information

2.4 Location plan

If your application to vary a permit increases the boundary of the authorised place, please provide an updated location plan.

The location plan must:

1. Clearly outline and identify the new boundary of the proposed authorised place.
2. Limit the new boundary of the authorised place strictly to the extent of the activities.
3. Be based on an Ordnance Survey (OS) map.
4. Be clear and easy to read on an A4 page, avoiding unnecessary details.
5. Include a defined scale, the date it was created, a north direction indicator, and context such as roads and buildings.

Document reference

No changes to the extant location plan.

2.5 Adding a new activity

Do you wish to add a new water or waste activity to your existing permit?

Yes ☐

No ☒

If 'Yes', and the activity does not form part of your installation, or is a water abstraction, you will need to complete and submit an activity form for each activity you wish to add.

Activity forms are available on the relevant activity specific page on our [website](#).

Please provide the relevant document reference(s) here.

Document reference

If your new activity does not form part of your existing installation, and you are not making any other changes to your existing activities, you do not need to complete the rest of this form.

Section 3 - Technical description of your variation

To issue an industrial activities permit, SEPA must be confident that you will operate the installation in compliance with the permit conditions.

This includes using Best Available Techniques (BAT), which are a combination of methods, equipment, training, and practices designed to prevent or, where prevention is not possible, reduce emissions from the installation.

BAT guidance is available from several sources:

- The relevant BAT Reference (BRef) documents for your sector on the European IPPC Bureau website and UK BAT (once developed). If available, you must comply with associated BAT conclusions (BAT-C) and the emission limits associated with BAT (BAT-AELs) for your sector.
- Horizontal/cross-sector BRef notes (e.g. Energy Efficiency and Emissions from Storage) on the European IPPC Bureau website.
- [Process Guidance notes](#) for your sector, especially if a schedule 26 'other emissions activity' is part of the installation.
- [Industrial activities practical guide for EASR schedules 20 and 26 activities](#) which provides an overview of industrial activities requirements.
- [Industrial activities webpages](#), which cover topics like site reports, monitoring, noise, odour, best available techniques, and sector-specific guidance.
- If your installation involves waste management activities, visit our [waste activity webpages](#) for guidance.
- If your installation involves discharges to water, BAT-EALs are in the relevant BAT-C and BRefs, with additional information, including water quality standards, on our [water activity webpages](#).
- [CIRIA](#) Construction Standards, particularly for bunding and sustainable urban drainage systems (SuDs).

Before completing this section, you need to identify which BRefs and if relevant, BAT-C apply to your proposed installation. Depending on your activities, you may need to refer to more than one document, e.g. a food, drink and milk production installation may also have a large combustion plant.

If your activity does not relate directly to a specific sector BRef, you can refer to related sector BRefs, cross-sector BRefs, or other BAT guidance. Emission limit values (ELVs) will be determined with reference to the BAT-AEL performance standard where they exist, or by considering the requirements of schedules 20-27 of EASR.

SEPA will assess your application based on how it compares to any relevant BRef, BAT-C, BAT-AEL, and other BAT guidance. Please ensure that your submission covers all the points in the relevant BAT guidance. You should explain the main options you considered and why you think the techniques you have chosen are BAT for your installation. In some cases, you might need to provide a detailed analysis of your options, including a cost-benefit analysis.

Any ELVs included in your permit will be based on BAT-AELs where available. In some circumstances it may be necessary to impose stricter emission limit values based on the assessment of environmental impact.

If you are not sure, please contact our permitting team to clarify which BAT guidance applies.

3.1 Details of your proposed variation

If your proposed variation will result in a change to any of the following, please select the relevant box(es), complete the relevant section(s) and provide any evidence requested with your application. You may also need to complete Sections 3.11 and 3.12.

- **Change to your process**



Including adding a new activity, change in capacity and/or process flow (complete Section 3.2).

- **Change to your emissions to air or abatement**



Including likely air emissions, how they are controlled or abated, stack height and monitoring (complete Section 3.3).

- **Change to your emissions to water or effluent treatment**



Including likely emissions to water and how they are controlled or treated (complete Section 3.4).

- **Change to your energy, resources and waste**



Including resources required, waste storage and quantities, and how they are managed (complete Sections 3.5, 3.6 and 3.7).

- **Change to your noise or odour emissions**



Including any changes noise or odour emissions and how they are controlled or managed (complete Sections 3.8 and 3.9).

- **Change to your management and accident prevention**



Including management plans, maintenance, procedures and staff training (complete Section 3.10).

3.2 Change to your process

It is important that you are clear what parts of your activity constitute the regulated parts, namely the:

- Stationary technical unit (STU)
- Directly associated activities (DAA)

Together, the STU and DAAs form the installation, which is authorised by the permit.

3.2.1 Stationary technical unit (STU)

Please complete the table below if this variation will add any new industrial activities or increase the capacity of any existing industrial activity currently carried out at your authorised place.

Industrial activity description

Use the [activity webpages](#) to identify the activities which will change because of this variation and add any industrial activities that you wish to apply for. Please note that this could include industrial activities in other EASR schedules. If you are looking to add new water or waste activities, please use separate activity forms.

Activity capacity or throughput

Refer to [SEPA capacity and threshold guidance](#) and specify the activity capacity or throughput for each activity in the table below. For example, for combustion activities provide the 'aggregated net thermal input'; for waste disposal activities provide the 'tonnes per day'.

Changes

Indicate whether the activity listed is a proposed new activity to be added by this variation, or a change to an existing activity.

Table 3: Activities in the STU

Industrial activity description	Activity capacity or throughput	Changes
Example 1: Manufacture of glass or glass fibres over 20 tonnes per day	30 tonnes per day	Changed capacity
Example 2: Medium combustion plant	19.5 MW thermal input	New activity
Incineration of waste more than 3 tonnes per hour	55.2 tonnes per hour, and 483,552 tonnes per annum	Changed capacity

3.2.2 Directly associated activities (DAAs)

Please complete Table 4 if this variation will add any new DAAs or change the capacity of any existing DAAs currently carried on at your authorised place.

DAAs are activities which:

- have a technical connection with the installation, and
- could have an effect on emissions and pollution.

Table 4: Directly associated activities

Industrial activity description	Changes
No change	N/A

3.2.3 Layout and Infrastructure plan(s)

Where the variation proposes changes to your infrastructure, please provide an infrastructure plan that clearly shows the layout of the authorised place. The plan should include key features such as:

- Plant and equipment (including abatement)
- Storage areas (e.g. silos, banded areas, tanks)
- Permeable and impermeable areas
- Buildings and enclosed areas
- Site drainage
- Emission and monitoring points

If the installation is large or complex, it may be difficult to include all the information on a single plan. In this case, please provide separate plans for different aspects of the authorised place, such as underground infrastructure, air emission points, water emission points and process flow.

Document reference

No change

3.2.4 Process flow diagram

Where the variation proposes changes to your process flow, provide a detailed process flow diagram to show the interconnections between STU and DAA, and all emission points to the environment.

Depending on the nature of the process, you may also need to include a piping and instrumentation diagram (P&ID).

Document reference

No change

3.2.5 Installation and process description

Provide a detailed written description of the installation and the processes to be carried out, making reference to all activities listed as part of the STU and DAAs and the process flow diagrams provided above.

Document reference
Refer to section 2 of the Supporting Information

3.3 Air emissions

If your proposed variation will result in changes to your emissions to air, in assessing BAT for your air emissions you must take account of any relevant BAT-Cs, air quality standards, BAT-AELs and where relevant the ELVs in schedules 20-27 of EASR.

3.3.1 Air emissions inventory

Please provide a revised air emissions inventory describing all emissions to air from your installation including the location, source, stack height, composition, quantities released and their fate and behaviour in the environment. Some of this information should be available within your environmental management system.

Document reference

Refer to section 3 of the Supporting Information

3.3.2 Risk assessment

Please provide an appropriate risk assessment which screens emissions in accordance with our guidance on [air emission risk assessments](#). This assessment should demonstrate that your installation will not cause significant harm to the environment, human health, or designated sites. As a minimum, the assessment must demonstrate that your installation will meet the BAT-AEL performance standards (where stated), and, where relevant the ELVs specified in:

- Large combustion plant: schedule 21, chapter 3 of EASR;
- Incineration and co-incineration of waste: schedule 22, chapter 2 of EASR; and
- Medium combustion plant: schedule 27, chapter 3 of EASR.

Where required, you must submit detailed air modelling to support your application.

Document reference

Refer to section 3 of the Supporting Information

3.3.3 Technologies and techniques assessment to prevent or reduce emissions to air

Please describe the main alternatives to the proposed technology, techniques and measures. Include an evaluation of the different options you considered for preventing or, where that is not practicable, reducing and rendering harmless emissions to air from your installation.

Document reference

The technologies and techniques remain fundamentally unchanged. The equipment upgrades will address the increase in the steam flow as a consequence of the proposed processing of additional waste.

3.4 Water emissions

If your proposed variation will result in changes to your water emissions, in assessing BAT for your water emissions you must take account of any relevant BAT-C, environmental quality standards (EQS), any relevant EASR general binding rules (GBRs) and where relevant the ELVs in schedules 20-27 of EASR.

In addition, if you are proposing to use sustainable urban drainage systems (SuDS) you should also reference the relevant [CIRIA](#) guidance.

3.4.1 Water emissions inventory

Please provide a revised water emissions inventory describing all emissions to the water environment (this includes groundwater and surface water) from your installation identifying the location, source, composition, quantities released and their fate and behaviour in the environment.

Document reference
No change.

3.4.2 Priority hazardous substances and priority substances

Please provide details of all priority hazardous substances and priority substances in the Water Framework Directive to be used at the installation.

Document reference
No change.

3.4.3 Indirect discharges, including emissions to the sewer network

Wastewater emissions can be either direct or indirect:

- Direct emissions occur when wastewater is released directly to the receiving environment.
- Indirect emissions occur when wastewater is discharged to another treatment facility. Discharges to a sewage treatment works are always considered indirect from the installation.

Please provide the following:

1. Evidence that the pollutant concentration in your indirect discharge will be reduced at the downstream treatment facility by an appropriate percentage, ensuring that the final discharge to the waterbody is within the relevant BAT-AEL range:
 - If the BAT-C for your activity specify BAT-AELs for indirect emissions, demonstrate that the emissions from the installation will be within the relevant BAT-AEL range(s).
 - If the BAT-C for your activity does not specify BAT-AELs for indirect emissions, use the published BAT-AELs for direct emissions (as outlined in the UK cross cutting interpretational guidance) and demonstrate that an equivalent level will be met at the final discharge to the waterbody.
2. Confirmation that you have a trade effluent agreement or agreement in principle from the service provider.

Document reference

No change.

3.4.4 Risk assessment

Please provide a risk assessment (such as H1, WAT-G-069, discharge impact modelling).

This assessment should demonstrate that your installation will not cause significant harm to the environment, human health, or designated sites by ensuring EQS's are complied with.

As a minimum, the assessment must demonstrate that your installation will meet the BAT-AEL performance standards (where stated), and the ELVs for the incineration and co-incineration of waste specified in schedule 22, chapter 5 of EASR (where relevant).

Where required, you must submit detailed water modelling to support your application.

Document reference

No change.

3.4.5 Technologies and techniques assessment to prevent or reduce emissions to water

Please describe the selected option and main alternatives to the proposed technology, techniques and measures. Include an evaluation of the different options you considered for preventing or, where that is not practicable, reducing and rendering harmless emissions to water from your installation.

Document reference

No change.

3.5 Energy use

If your proposed variation will result in changes to energy use, provide the following:

1. A breakdown of the proposed energy consumption and generation by source and end-use.
2. A description of the main alternatives to the proposed technology, techniques and measures considered to ensure the installation is operated in the most energy efficient way possible and evidence these comply with any relevant BAT-AELs.
3. If you are, or will be, subject to a Climate Change Levy Agreement please confirm the date of entry and written confirmation of the terms of that agreement.

Document reference

Refer to section 3.11 and Appendix D (Heat and Power Plan) of the Supporting Information

3.6 Materials use

If your proposed variation will result in changes to materials use, provide the following:

1. A materials inventory which includes all raw and auxiliary materials, water and other substances used and/or are generated by the activities at your installation.
2. Identify all raw material storage locations and quantities. Confirm that the storage methods do not pose a risk to the environment and that all relevant mitigation measures will be implemented e.g. bunding, alarms, procedures, separation and segregation.
3. Provide evidence that systems are in place to monitor and track raw material consumption to ensure efficient use.
4. For incineration and co-incineration of hazardous waste please provide:
 - The minimum and maximum mass flows of any hazardous wastes;
 - Their lowest and maximum calorific values; and
 - Their maximum contents of polychlorinated biphenyls, pentachlorophenol, chlorine, fluorine, sulphur, heavy metals and other polluting substances.

Document reference

Refer to section 3 of Supporting Information

3.7 Waste

If your proposed variation will result in changes to the waste received and/or generated, provide the following:

1. A waste inventory describing all wastes received and/or generated by the installation including the details of the source, composition, quantities, list of waste code and waste acceptance criteria (where relevant).
2. Identify all waste storage locations and the maximum quantity that can be stored at each location. Confirm that the storage methods do not pose a risk to the environment and that all relevant mitigation measures will be implemented e.g. bunding, alarms, procedures, separation and segregation.
3. Demonstrate how the installation will manage waste sustainably and in line with the waste hierarchy, focusing on prevention, re-use, recycling, and recovery of the waste produced.
4. A description of the proposed techniques and measures to prevent and reduce the quantity and harmfulness of waste arising and emissions of substances and heat (including during periods of start-up or shut-down, momentary stoppage, leak or malfunction).
5. Confirm that any waste which cannot be prevented, reduced or recycled will be disposed of appropriately.
6. For incineration and co-incineration of hazardous waste please provide:
 - The minimum and maximum mass flows of any hazardous wastes;
 - Their lowest and maximum calorific values; and
 - Their maximum contents of polychlorinated biphenyls, pentachlorophenol, chlorine, fluorine, sulphur, heavy metals and other polluting substances.

Document reference

Refer to section 3 of Supporting Information

3.8 Odour emissions

If your proposed variation will result in changes to odour emissions, provide the following:

1. A detailed odour assessment which identifies and characterises the main sources of odour from your installation, and odour sensitive receptors.
2. Where odour is identified as a potential issue, provide evidence that the technology and techniques you propose will ensure offensive odours are not emitted beyond the boundary of the installation. Please refer to our [Odour Guidance](#) for more details on managing and controlling odour emissions.
3. An odour management plan (OMP). An [OMP template](#) is available with our Odour Guidance.
4. If there is evidence of potential harm, especially near sensitive receptors, detailed modelling may be required.

Document reference

No change.

3.9 Noise emissions

If your proposed variation will result in changes to noise emissions, provide the following:

1. A plan which clearly identifies the main sources of noise and vibration from your installation (including infrequent and tonal sources) and the nearest noise sensitive locations.
2. A detailed environmental noise assessment (BS 4142) and the proposed techniques and measures for control of noise. Please demonstrate how these proposals constitute BAT and justify your proposals against any relevant BAT-C or guidance.
3. If the proposed installation has potential to have a noise impact on nearby noise sensitive receptors, please provide a noise management plan.

Document reference

No change.

3.10 Environmental management system (EMS)

If your proposed variation will result in changes to your EMS, provide the following:

1. Details of any proposed changes to the management system.
2. Details of any proposed changes to the decommissioning plan.
3. Details of any proposed changes to the accident prevention and mitigation plan.
4. Details of any proposed changes to other management plans required by the relevant BAT guidance for your installation, e.g. startup/shut down, dust, solvents.

Document reference
No change.

3.11 Emissions and environmental monitoring

Please provide the following information in relation to emissions, operational parameters (for emissions control) and environmental monitoring of the proposed activity:

1. A description of the proposed monitoring locations, parameters, frequency and methods. Monitoring must meet or exceed the requirements of any relevant BAT guidance or as specified in EASR and comply with latest CEN standards (or where no CEN standard is available the default method for that substance).
2. Confirmation that all sampling and monitoring locations are designed and comply with the most up to date published standards (e.g. BS EN 15259).
3. Provide details of any monitoring equipment to be used, for example, periodic monitoring equipment, autosamplers, duty and standby continuous emissions monitoring (CEMs).

You must:

- Confirm that these are calibrated to the relevant standards (e.g. CEN standards); and
- Detail the method of recording, processing or presenting any continuous emissions monitoring data.

Document reference

No change.

3.12 Installation commissioning

Please provide the following information if your proposed variation will result in changes that require commissioning:

1. A commissioning plan that details how you will commission your installation and sets out the steps to be taken before operations begin.
2. Details on the performance validation tests required to demonstrate that the installation will operate without harming the environment or human health. This should include how you will meet the relevant BAT emission limits in the shortest possible time.

Document reference

Not applicable.

Section 4 - Site and baseline reports

Before completing this section, please review [SEPA's site and baseline report guidance](#).

If your proposed variation will result in new land being included in the authorised place boundary, or new substances being used at the authorised place, you will need to provide both a revised site and baseline report.

4.1 Site report

Please provide a site report describing the condition of the installation.

The site report should include:

- The substances to be used, produced, stored or released at the installation.
- The condition of the installation and infrastructure to prevent emissions to soil and groundwater (or proposed standard of containment).
- The current state of soil and groundwater, considering the sites historical land use and the substances to be used on installation.

Document reference

No change.

4.2 Baseline report

A baseline report is required if there is a risk of contamination to soil and groundwater from the Relevant Hazardous Substances (RHS) that will be used, produced, stored, or released by the installation. The baseline report should provide a quantified statement of the current condition of the soil and groundwater, focusing on the RHS and any other substances that may pose a risk of pollution.

If you are using RHS at the installation, you will be required to carry out periodic monitoring of the soil and groundwater throughout the life of the permit. SEPA will use information from the site and baseline report and the application to determine the monitoring requirements.

Where required, please provide a baseline report.

Document reference

The proposed changes do not change the site layout or require additional land beyond the permit boundary.

4.3 Baseline report waiver agreement

If you have not provided a baseline report, have SEPA agreed a waiver to the requirement to produce a baseline report?

Yes ☐

No ☐

If 'Yes', please provide a copy of the waiver agreement.

Document reference

Section 5 - Compliance with Best Available Techniques

Please provide a systematic assessment of your proposed variation to demonstrate that the changes to your installation will be designed, operated and maintained in accordance with BAT.

This should include:

- A list of all relevant BAT-C, BRef, or other technical guidance.
- A statement of whether your installation can meet the requirements of each BAT-C, BRef, or technical guidance.
- A summary of how you plan to meet standards outlined in the relevant BAT-C, BRef, or technical guidance.
- A reference to where you've provided further evidence showing how you comply with each relevant BAT-C or standard.

Information required to produce the assessment will overlap with other parts of the application. To avoid duplication, you may refer to the relevant sections.

Document reference

Refer to section 2.2.2 of the Supporting Information

Section 6 - Any other information

If there is any other information you wish to submit in support of your application, please provide details in a separate document.

Document reference

Not applicable.

Appendices for additional information

To help us fully assess your application, additional information is required under EASR for the activities listed below. Please complete the relevant appendix for your activity, if applicable:

- **Appendix 1: Waste management activities**

For activities defined under schedule 20, chapter 5 of EASR.

- **Appendix 2: Incineration and co-incineration of waste**

For activities defined under schedule 20, chapter 5, paragraph 24 and schedule 22 of EASR.

- **Appendix 3: Organic solvent emissions activities**

For activities defined under schedule 23 of EASR.

- **Appendix 4: Medium combustion plant**

For activities defined under schedule 27 of EASR.

- **Appendix 5: Energy efficiency**

For activities defined under schedule 25 of EASR.

Note: More than one appendix may apply to your activity.

Appendix 1: Waste management activities

Complete this appendix if your variation application involves waste management activities as defined under schedule 20, chapter 5 of EASR.

When determining an application to grant a variation to a permit we must be satisfied that the applicant is a fit and proper person to be in control of the regulated activity.

Please read our guidance on [Who can hold an authorisation](#) to understand our criteria for assessing if you are a fit and proper person to hold or continue to hold an authorisation.

Section A1-1 - Technical competence

The regulated activities must be carried on by someone who is technically competent.

Before completing this section, please review our guidance on [Provision and assessment of technically competent management at waste management facility](#).

Please select the relevant box to indicate how you will demonstrate that the proposed authorised place will have technically competent management.

Formal qualification

(e.g. WAMITAB Certificate, vocational certificates SVQ and NVQ)

Proceed to Section A1-1.1

☐**Competency Management Scheme (CMS)**

Proceed to Section A1-1.2

☐

A1-1.1 Formal qualification

Please provide details of the person(s) providing technically competent management of the regulated activities, along with copies of the relevant certificates. Add more entries, if required.

Table A1-1(a): Technically competent person 1 details

Question	Answer
Name	No change to technical competency as a consequence of the variation.
Date of birth	
Position	
Business name and address	
Certification scheme name	
Level of qualification obtained	
Copy of certificate (Document reference)	

Table A1-1(b): Technically competent person 2 details

Question	Answer
Name	
Date of birth	
Position	
Business name and address	
Certification scheme name	
Level of qualification obtained	
Copy of certificate (Document reference)	

If the proposed technically competent person(s) also provides technically competent management at other authorised places, please provide a separate document explaining how they will manage all authorised places effectively and meet the attendance requirements.

Additionally, complete Table A1-2 below with the necessary details.

Document reference
No change.

Table A1-2: Management of other authorised places

Technically competent person name	SEPA Authorisation reference	Authorised place name and address

A1-1.2 Competency Management Scheme (CMS)

We recognise the Competency Management Scheme (CMS) as evidence of technical competence. If you are using a CMS, it is not necessary to identify an individual technically competent person to manage regulated activities. However, a responsible person must be appointed to ensure that the CMS is established, implemented and maintained.

Table A1-3: Competency Management Scheme (CMS) details

Question	Answer
CMS provider	No change.
Responsible person	
Position	
Business name and address	
Certification Body name	
Proof of certification (Document reference)	

Section A1-2 - Financial provision

Financial provision must be sufficient to meet all obligations of the authorised person and adequately cover the costs of closure and environmental liability risks.

The amount of financial provision required is normally based on the maximum quantity of wastes that you can keep or treat at the proposed authorised place at any one time, and the haulage costs associated with their removal.

For details on how we assess financial provision, please review our guidance on [Financial provision for Non-Landfill Waste Management Activities](#).

A1-2.1 Other SEPA authorisations subject to financial provision

Please note that we will assess the applicant's financial suitability considering the financial provision cumulative value for all the authorisations held by the applicant.

If the applicant already holds other SEPA authorisations subject to financial provision, please provide details below.

Table A1-4: SEPA authorisations subject to financial provision

SEPA authorisation reference	Authorised place name and address
No change.	

A1-2.2 Expenditure plan

Please provide a plan of the estimated expenditure for each phase of the specified waste management activities.

The plan should include the likely costs of:

- Monitoring and maintenance.
- Clearing the installation (including drainage systems) of all wastes.
- Remedial action in the event of the failure of pollution control systems.

Document reference

The proposed increase in capacity does not necessitate additional waste storage capacity, changes to storage duration, or new site infrastructure or drainage systems. Existing storage, monitoring, and contingency arrangements remain sufficient to manage increase in capacity. Existing pollution control, shutdown, and incident response arrangements remain

Document reference

unchanged. Accordingly, the proposal does not create a requirement for additional expenditure, and submission of an expenditure plan is not considered necessary

A1-2.3 Financial provision evidence

Please select how you intend to demonstrate adequate financial provision and provide copies of the relevant documents.

Credit reference check☐

Carried out by SEPA during application determination.

A bank statement that:☐

- lists all transactions (deposits, charges, withdrawals) for the account;
- is addressed to the applicant from a financial institution;
- covers at least 3 months (continuous) and is no more than 3 months old.

A letter from a financial institution, that:☐

- demonstrates that the applicant has sufficient overdraft or loan facilities;
- is addressed to the applicant from a financial institution; and
- is no more than 3 months old.

Company accounts, that:☐

- show all money received and expended by the company;
- record the assets and liabilities of the company;
- cover at least 1 financial year; and
- are for the previous financial year.

Provision of alternative evidence☐

(e.g. a guarantee from a parent company, bank or other third party, bonds or ring-fenced funds)

If you plan to use a parent company guarantee, please specify the type of guarantee and provide a copy of the parent company's audited trading accounts for the last three years, or for the period they have been trading if less than three years.

Please provide copies of the relevant documents in a separate document.

Document reference
No change.

Appendix 2: Incineration and co-incineration of waste

Complete this appendix if your installation carries out incineration or co-incineration of waste under schedule 20, chapter 5, and/or schedule 22 of EASR.

Waste incineration or waste co-incineration plants are regulated under EASR which includes the controls required under the European Waste Incineration Directive (WID) and must be permitted.

In addition to Best Available Techniques, Waste incineration or waste co-incineration plants must consider the requirements of [SEPA Thermal Treatment of Waste Guidelines \(as amended\)](#) when describing the proposed activity and its environmental effects, particularly with regard to satisfying the requirements of Regulation 9F of the Waste (Scotland) Regulations 2011, which demands that the recovery of energy takes place with a high level of energy efficiency.

Further guidance on the requirements of [energy from waste](#) is included on the SEPA website.

Section A2-1 - Design and operation

A2-1.1 Plant design

Unless covered elsewhere in this application form, please demonstrate that the plant is designed, equipped and will be maintained and operated in a manner that meets the requirements of schedule 22 of EASR, considering the type of waste to be incinerated or co-incinerated.

Document reference
Refer to section 2 of the Supporting Information.

A2-1.2 Emissions

Please provide the following information for waste co-incineration plants:

1. Details of the conventional fuels to be used in the co-incineration process.
2. The process and circumstances for using these fuels.
3. Predicted or measured emissions from the use of these fuels.

Document reference

Not applicable.

A2-1.3 Computational fluid dynamic modelling

Please provide the following information for waste incineration or waste co-incineration plants:

1. The temperature and residence time that apply for the relevant waste type, along with details of the methods used to verify and measure temperature, residence time and oxygen content.
2. A computational fluid dynamic modelling report demonstrating that the secondary combustion gas can be raised to the relevant temperature for two seconds at a range of operating rates, including the most unfavourable operating conditions.

Document reference

Refer to section 2, Appendix A (computational fluid dynamic modelling), and Appendix B (T2s equations validity) of the Supporting Information.

A2-1.4 Abnormal operating conditions

In the case of abnormal operating conditions show how dust emissions will be controlled to remain below 150 mg/m³ as a half hourly average.

Document reference

Facility is currently permitted and operates to meet the requirement. The increase in capacity and associated upgrades will not impact on the requirement; therefore, no changes to operational procedures are required

Section A2-2 - Request for SEPA to vary an operational condition

A2-2.1 Specify a level of incineration or temperature different to those in EASR

If you are requesting that SEPA specify a different temperature or residence time from those stated in EASR, provide justification for the proposal:

1. For waste incineration plants include an assessment of its effects on the quality and quantity of residues produced.
2. For waste co-incineration plants demonstrate that you can comply with the limits in chapter 3 of part 3 of schedule 22 of EASR for total organic carbon (TOC) and carbon monoxide (CO) into air.

Document reference
No change.

A2-2.2 Specify a level of NO_x

If you are requesting a time-limited derogation from NO_x limits, you must provide a BAT justification for these higher limits.

Document reference
No change.

Section A2-3 - Heat recovery

Please demonstrate that the heat generated during the waste incineration and/or waste co-incineration process is recovered with a high level of efficiency through the generation of heat, steam or power.

This should be provided in the form of a heat and power plan, which must, at a minimum, contain the information specified in Annex 2 of the [SEPA Thermal Treatment of Waste Guidelines \(as amended\)](#).

The plan must also provide a BAT assessment taking into consideration the BAT associated energy efficiency levels (BAT-AEELs) outlined in the 2019 Waste Incineration BAT Conclusions.

If you cannot achieve the BAT-AEEL then you will need to explain why you cannot achieve the BAT-AEEL and describe what, if any, alternative techniques you will use to achieve, or partially achieve, the environmental objective.

Document reference

Refer to Appendix G of the Supporting Information - Heat and power plan

Section A2-4 - Residues

Demonstrate that the requirements of the BAT-C have been met in relation to the TOC content and loss on ignition of slag and bottom ashes are met.

Document reference

Refer to Table 2 of the Supporting Information

Appendix 3: Organic solvent emissions activities

Complete this appendix if you are varying or plan to carry out organic solvent emissions activities, as defined under schedule 23 of EASR.

Information and guidance on [organic solvent emissions activities](#) is available on our website.

Section A3-1 - About your proposed solvent activities

A3-1.1 Solvent emissions activities (SEAs)

Please list all organic solvent emissions activities (SEAs) and calculate the annual solvent consumption for each activity.

Table A3-1: SEA details

Solvent emissions activities (SEAs)	Annual solvent consumption (tonnes/year)

A3-1.2 Directly associated activities (DAAs)

Please list any directly associated activities (DAAs) you plan to carry out at the proposed authorised place that:

- are technically connected to the proposed organic solvent emissions activities, and
- could have an effect on the organic solvent emissions from the activities into the environment (e.g. change, increase, or decrease the Volatile Organic Carbon (VOC) emissions).

If the DAA involves the use of solvents, please calculate the annual solvent consumption.

Table A3-2: DAA details

Directly associated activities (DAAs)	Annual solvent consumption (tonnes/year) (if applicable)

A3-1.3 Total annual solvent consumption (SEAs and DAAs)

Please provide below the total annual solvent consumption (in tonnes/year) combining both SEAs and DAAs.

Total annual solvent consumption (SEAs and DAAs)

Section A3-2 - Proposed changes

Please provide details of any proposed changes to your organic solvent emissions activities or operations that constitute a variation or substantial change.

To understand what qualifies as a substantial variation, please read our guidance [Identifying a substantial change variation](#).

Table A3-3: Changes to organic solvent emissions activities

Nature of proposed change	Projected change in nominal capacity	Projected % change in VOC emissions	Date of proposed change

Section A3-3 - Hazard statements

If you use designated hazardous materials, especially volatile organic compounds (VOCs) and halogenated VOCs (listed below), you must either:

- replace them, or
- control, contain, and limit their use.

Where these substances are in use, you must comply with the relevant emission limits.

The hazard statements for VOCs include:

- H340 - May cause genetic defect
- H350 - May cause cancer
- H350i - May cause cancer by inhalation
- H360D - May damage the unborn child
- H360F - May damage fertility

The hazard statements for halogenated VOCs include:

- H341 - Suspected of causing genetic defects
- H351 - Suspected of causing cancer

If you do not use any substances labelled with the above hazard statements, please proceed to Section A3-4 VOC compliance routes.

A3-3.1 Substances and preparations

Please provide the details in Table A3-4 for each substance or preparation used, or planned for use, that has the hazard statements listed above:

Table A3-4: Substances and preparations details

Substance or preparation name	Hazard statement	Annual substance consumption (tonnes/year)

Please provide the Material Safety Data Sheet (MSDS) separately for each substance or preparation listed in the table above and include the corresponding MSDS document reference below.

Table A3-5: Material Safety Data Sheet (MSDS)

Substance/preparation name	MSDS Document reference

A3-3.2 Substances and preparations substitution assessment

Please assess whether any substances or preparations listed in Table A3-4 can be replaced with a safer alternative and provide details below. You do not need to assess substances or preparations with hazard statements H341 or H351.

Table A3-6: Proposed substitutions for substances or preparations details

Substance or preparation name	Hazard statement	Proposed substitution date	Substitute substance or preparation name

Please provide the Material Safety Data Sheet (MSDS) separately for each proposed substitute substance or preparation and include the corresponding MSDS document reference below.

Table A3-7: Material Safety Data Sheet (MSDS)

Substitute substance/preparation name	MSDS Document reference

A3-3.3 Justification for not replacing substances or preparations

If you do not plan to implement a substitution program, please provide a detailed explanation of why any substance or preparation listed in Table A3-4 cannot be replaced. Consider factors like human health, environmental impact, suitability, and the costs and benefits of alternatives.

Document reference

A3-3.4 VOCs discharge and emission compliance

Please identify where volatile organic compounds (VOCs) are discharged from the proposed activities and meet the following criteria:

1. Assigned or required to carry hazard statements H340, H350, H350i, H360D, or H360F.
2. The mass emission of these compounds is greater than, or equal to, 10 g/h.

If any VOCs are identified, please also explain how you will ensure that the emissions at the waste gas discharge point meet the 2 mg/m³ emission limit specified in EASR.

Document reference

A3-3.5 Halogenated VOCs discharge and emission compliance

Please identify where halogenated VOCs are discharged from the proposed activities and meet the following criteria:

1. Assigned the hazard statements H341 and/or H351.
2. The mass emission of these compounds is greater than or equal to 100 g/h.

If any halogenated VOCs are identified, please also explain how you will ensure that the emissions at the waste gas discharge point meet the 20 mg/m³ emission limit specified in EASR.

Document reference

Section A3-4 - VOC compliance

A3-4.1 VOC compliance route

For each organic solvent emissions activity, you must demonstrate compliance with EASR by selecting one of three VOC compliance routes and submitting a solvent management plan.

Please note that not all compliance routes are available for each activity. To find out which routes apply to your specific activity, please consult the relevant [Process Guidance notes \(PG notes\)](#) for your activity.

Please indicate the VOC compliance route you intend to use by selecting the appropriate box below and then complete the relevant sections.

1. **Meet an Emission Limit Value (ELV) for VOCs in waste gases and a fugitive ELV.**

☐

(complete Section A3-4.2)

2. **Meet a total Emission Limit Value (ELV) for VOCs.**

☐

(e.g. solvent emissions per unit product)

(complete Section A3-4.2)

3. **Implement a solvent reduction scheme to reduce VOC emissions.**

☐

(complete Section A3-4.3)

A3-4.2 Demonstrating compliance with emission limits

Please provide information on how the emission limit values (ELVs) of EASR will be met for:

1. VOCs mentioned above.
2. Halogenated VOCs that are assigned or need to carry the hazard statements H341 and H351, and that will be used at the proposed authorised place.

Document reference

A3-4.3 Solvent reduction scheme

Please provide details of any solvent reduction scheme for the proposed activity.

This should include:

- An overview of the proposed scheme.
- How you plan to achieve compliance with the scheme.
- Relevant timelines for implementation.

Document reference

Appendix 4: Medium combustion plant

Complete this appendix if you intend to:

- vary a medium combustion plant (MCP), as defined under schedule 27 of EASR, included in your existing permit, or
- operate a new MCP (such as a boiler, engine, or turbine) with a net rated thermal input between 1 and 50 megawatts (MW), in addition to other emission activities.

The information in this appendix will be used to assess your application and establish appropriate emissions limits for your MCP.

Excluded activities

Some activities do not need an MCP authorisation.

EASR lists a number of excluded activities, including but not limited to:

- Combustion plant used to propel a vehicle, ship or aircraft
- Turbines and engines used on offshore platforms
- Some driers
- Thermal oxidisers

For the full list of excluded activities, please check the [activity webpage](#).

Section A4-1 - MCP details

A4-1.1 MCP specifications

Please provide the details requested in Table A4-1 for each authorised and proposed MCP.

Each MCP must have a unique plant number (Plant No.) and be listed separately. If you need to include additional plants, please use a separate sheet.

When completing Table A4-1 please use the following descriptions of plant and fuel:

Type of plant*:

- Diesel engine
- Gas turbine
- Dual fuel engine
- Other engine
- Other medium combustion plant

Type of fuel**:

- Solid biomass
- Other solid fuels (e.g. coal, waste-derived fuel; please specify the type)
- Gas oil
- Liquid fuel other than gas oil (e.g. biodiesel; please specify the type)
- Natural gas
- Gaseous fuels other than natural gas (e.g. biogas, propane; please specify the type)

Table A4-1: Medium combustion plant(s) details

Plant no. (1,2,3, etc.)	Manufacturer (make, model and serial number)	Type of Plant*	Start date of operation	Expected annual operating hours	Average load in use	Rated thermal input (MW)	Type of fuel**	Thermal input of each fuel if mixed (MW)

A4-1.2 Total rated thermal input (RTI)

Please provide the total rated thermal input for all MCP equal to or greater than 1 MW and less than 50 MW at the authorised place.

Total rated thermal input

A4-1.3 Reduce or restrict RTI

If you are applying to reduce or restrict the RTI of plant that is already authorised, please provide your calculations or proposed restriction method.

Refer to [SEPA capacity and threshold guidance](#) for more information.

Document reference

A4-1.4 Existing plant

If you are adding existing plant (put into operation on or before 20 December 2018) to your permit, please provide evidence that the plant was put into operation on or before 20 December 2018. Use the plant number from Table A4-1 to identify which plant you are referring to.

Document reference

A4-1.5 Secondary abatement

Where the variation proposes changes to the secondary abatement or if you are adding an MCP with secondary abatement, please provide details. Describe the equipment, systems, or treatments that will be used to control, prevent, or minimise the likely air emissions from the MCP. Explain why these are the best options. Use the plant number from Table A4-1 to identify which plant you are referring to.

Document reference

A4-1.6 Other processes

If applicable, please provide details of or changes to any other processes or activities that are associated with or support the operation of the MCP. For example, waste handling, energy recovery, onsite fuel processing, backup fuel, chemical or fuel storage.

Document reference

A4-1.7 Emission limit values (ELV) exemptions

A4-1.7.1 ELV exemptions

Some MCP may be exempt from complying with emission limit values (ELVs).

EASR lists a number of exemptions, including but not limited to:

- MCP operating under a certain number of hours
- MCP using biomass as its main fuel
- MCP serving a public district heating network

For the full list of exemptions, please check the [activity webpage](#).

If the proposed variation includes changes to ELV exemptions, or if you are adding an MCP to your permit and it is exempt from complying with ELVs, please provide details.

Document reference

A4.1.7.2 Plant operating less than 500 hours per year

You may request an exemption from compliance with the ELVs for:

- Existing plant (put into operation on or before 20 December 2018) that will not be operated for more than 500 hours per year (calculated as a rolling average over a period of 5 years).
- New plant (put into operation after 20 December 2018) that will not be operated for more than 500 hours per year (calculated as a rolling average over a period of 3 years).

If you would like to request an exemption from compliance with the ELVs and you are declaring that your plant(s) will operate for 500 hours or less per year, please provide the corresponding plant number(s) from Table A4-1 below.

Plant number(s)

Note: You are declaring that your plant(s) will operate for 500 hours or less per year.

A4-1.8 Standard Industry Classification (SIC)

The SIC system categorises businesses by industry sector in the UK. Your SIC code helps us understand the primary nature of your business. You can find the right SIC code using online search tools, such as the one available on Companies House website.

If your SIC code has changed, please provide the new code.

SIC code

Section A4-2 - Air emissions risk assessment

A4-2.1 Habitats impact and human health assessment

In Section 3.3 of this form, you should have already provided an air emissions inventory and demonstrated that your emissions to air will not cause significant harm to the environment, human health, or designated sites in accordance with our guidance on [air emission risk assessments](#).

Please provide the document references for these assessments.

Document reference

A4-2.2 Stack assessment

To assess your application in accordance with The Conservation (Natural Habitats, &c.) Regulations 1994 (the Habitats Regulations), please complete Table A4-2 with the required details for each stack.

When completing the table, please assume the following:

- SO₂ emissions are 0 (zero) for natural gas, gas oil, biomass, and hydrotreated vegetable oil.
- For both SO₂ and NO_x emission rates, provide the values in one of the following units: tonnes/year, kg/day, or grams/sec.

Table A4-2: Stack(s) details

Plant no. (as per Table A4-1)	National Grid Reference (NGR)	Inner diameter (m)	Gas temperature (°C)	Gas velocity (m/sec)	SO ₂ emission rate (tonnes/year, kg/day, grams/sec)	NO _x emission rate (tonnes/year, kg/day, grams/sec)	Stack height above ground (m)	Stack height above roof ridge (m)

Section A4-3 - Aggregation details for new MCP

If you are applying to authorise two or more new MCPs, they may be combined and considered as a single plant if the waste gases are discharged through a common discharge point, such as a stack. This approach can help improve the dispersion of emissions.

Do you intend to discharge waste gases through a common stack?

Yes ☐

No ☐

- If 'Yes', please submit a map showing the location of each MCP and all discharge points (e.g. stacks).

Document reference

- If 'No', please provide technical and economic justification explaining why discharging through a common stack is not feasible.

Document reference

Appendix 5: Energy efficiency

Complete this appendix if the requirements of schedule 25 apply to your activity.

You **do not** need to complete this appendix if:

- the activity is excluded by paragraph 3 of schedule 25,
- the activity began before 30 October 2014, or
- the plant or installation was substantially refurbished before 30 October 2014.

Schedule 25 applies to the activities listed below where:

- they generate electricity and have a rated thermal input exceeding 20 MW; or
- when one or more of these activities is operated at the same place and have a total rated thermal input exceeding 20 MW.

The activities are:

- Operating a large combustion plant.
- Waste incineration or waste co-incineration at a waste incineration plant or waste co-incineration plant.
- Operating a medium combustion plant.
- Burning any fuel in combustion plants which generate electricity on the same site with an aggregated rated thermal input of 1 MW or more as described in paragraph 1 of chapter 1 of part 3 of schedule 26 of EASR.

Schedule 25 also applies to industrial emissions activities or other emissions activities with a rated thermal input exceeding 20 MW, which:

- generate waste heat at a useful temperature level, or
- form part of a new or existing district heating or cooling network.

The appropriate energy efficiency application fee should be incorporated into your total application fee. Please see our charging scheme for further information.

Before completing the form, please contact our permitting team for our most recent guidance on energy efficiency cost benefit analysis which will explain the methodology to be applied.

Section A5-1 - Energy efficiency

Does schedule 25 apply to your installation?

Yes

☒

No

☐

If 'Yes', please provide full information in a separate document.

If 'No', please specify which exemption criteria apply to your activity.

Document reference

Section A5-2 - Cost benefit analysis

A5-2.1 Cost benefit analysis

Has a comprehensive national assessment and any associated cost benefit analysis demonstrated that a site-specific cost benefit is unlikely to be positive?

Yes

☐

No

☐

If 'Yes', please provide details.

If 'No', please supply a completed comprehensive cost benefit analysis in accordance with schedule 25, part 2 of EASR.

Document reference

A5-2.2 Opportunities for cogeneration or district heating

Please supply results of your own search for opportunities for high efficiency cogeneration or district heating.

Document reference**A5-2.3 Potential heat loads**

Please supply any evidence of discussions with operators of potential heat loads which could be supplied.

Document reference**A5-2.4 Heat availability or requirements at the installation**

Please supply any technical detail on the amount and type of heat available from/required by the installation.

Document reference**A5-2.5 Heat availability or requirements at potential heat loads or sources**

Please supply any technical details on the amount and type of heat required by or available from potential heat loads or sources.

Document reference

A5-2.6 High-efficiency co-generation calculations

Please supply high-efficiency co-generation calculations.

Document reference**A5-2.7 Plan to implement the scheme**

If the cost benefit analysis shows a positive result (i.e. the financial benefits are greater than the costs), provide a plan to implement the scheme, with justification and any supporting information. Include a discussion on any sensitivity analysis used.

Document reference